

佛山市王永利工业皮带有限公司
FOSHAN ULIFLEX INDUSTRIAL BELTS CO., LTD

地址：佛山市江湾一路弼塘东二街20号
ADD: No.20, Second East Bitang Street First Jiangwan Road, Foshan, Guangdong Province China.
TEL: (86)-757-82268953 82711709
FAX: (86)-757-82729016 82667509
MOB: (0)13809819467
Http: //www.uliflex.com
E-mail: uliflex@163.com
E-mail: uliflex.peter.wang@163 .com
MSN: fsuliflex@hotmail.com
服务热线: (0)13902416013


鹤山市王永利工业器材发展有限公司
HESHAN ULIFLEX INDUSTRIAL EQUIPMENT CO., LTD.

地址：广东省江门市鹤山三工业区
ADD: No.3 Industrial Zone, Heshan, Jiangmen City, Guangdong Province China.
TEL: (86)-750-8383 700 8383 701
FAX: (86)-750-8383 705
Http: //www.uliflex.com
E-mail: sales@uliflex.com

美国永利工业皮带有限公司
AMERICA ULIFLEX INDUSTRY BELT LIMITED

地址：香港九龙旺角弥敦道678号华侨商业中心20楼
ADD: Unit 15C, Hua Chiao Commercial Centre, 678 Nathan Road, Mongkok, Kowloon
TEL: 00852-30786818
FAX: 00852-30763388
Http: //www.uliflex.com

永利同步带，一带胜一带 ULIFLEX BELTS BETTER AND BETTER



- 1、具体型号、材料、颜色、请咨询永利工业皮带相关技术人员；
- 2、特殊规格产品可订做；
- 3、本公司保留更改产品参数的权利；
- 4、本公司保留最终解释权。

1. If need specific type, material, color, please consult the relevant technical staffs.
2. All could be made according to the requirements of client.
3. All rights for parameters changing reserved.
4. All rights reserved.

TEXTILE MACHINE TIMING BELT
纺织机械专用皮带



企业简介 COMPANY INTRODUCTION

永利工业皮带是一家集科、工、贸为一体，并和国外合作，研发、生产、销售工业皮带、同步带轮及设备的专业企业，产品广泛应用于陶瓷、玻璃、纺织、印刷、包装、食品、汽车、烟草、医药等行业。

“ULIFLEX”是公司历经十余年全力打造的工业同步带品牌。公司坚持“以人为本，诚信经营”的管理理念，以“质优、价平、服务好、不断创新”为经营方针，为客户提供售前、售中、售后24小时服务。公司厂房占地面积15666m²，拥有先进的工业皮带生产、加工设备，配有先进的工业皮带检测设备及仪器。公司现已拥有多项国家专利，在国内同行业中处于领先地位。

主要生产加工：（1）聚氨酯各类（AT20、T20、20M、AT10、ATP10、ATN10、ATC10、T10、AT5、T5、TT5、XH、H、L、XL、3M、5M、8M、14M等）无缝环型、开口、接驳同步带；（2）橡胶多楔带（PH、PJ、PK、PL、PM）、三角带（SPZ、SPA、SPB、SPC、3V、5V、8V等），同步带（H、L、MXL、XL、L、H、XH、XXH、HTD3M、HTD5M、HTD8M、HTD14M、S2M、S3M、S5M、S8M、S14M等）；（3）尼龙片基带、PVC、PU平面输送带；（4）皮带背面各类弹性体（橡胶、PU、海绵、尼龙布等）的铺钻、皮带均厚、均宽、开槽、打孔、焊接挡旗等特殊加工。



ULIFLEX company is a professional manufacturer for industrial belts and equipments. It has cooperated with foreign companies to develop products which are widely used in the mechanical transmission of ceramic, glass, textile, food, automobile, tobacco, medicine and so on. ULIFLEX has developed for over ten years, now it becomes one of the famous brands for industrial belts. Our company adheres to the “human orientation and credit operation” corporate philosophy and the “quality first, favored price, good service and continuous innovation” business purpose, and provides 24-hour service. The company occupies a total area of 15666 square meters. Apart from owning advanced equipments for manufacturing and processing belts, the company also has advanced test equipments to ensure the quality of belts. Now our company has owned eight national patents which is in the leading position in the domestic field.

Main products:

- (1) PU Timing Belts(AT20、T20、20M、AT10、ATP10、ATN10、ATC10、T10、AT5、T5、TT5、XH、H、L、XL、3M、5M、8M、14M etc) Endless, Open-end, Joined.
- (2) Rubber Pediton/Diprosopia Wedge Belt (PH、PJ、PK、PL、PM)，V-Belts (SPZ、SPA、SPB、SPC、3V、5V、8V etc)，Timing Belts(H、L、MXL、XL、L、H、XH、XXH、HTD3M、HTD5M、HTD8M HTD14M、S2M、S3M、S5M、S8M、S14M etc).
- (3) Nylon Base Belts, PVC/PU Conveyor Belts.
- (4) Services of backing elastic materials (rubber, PU, sponge, nylon etc), averaging belts thickness and width, notching, perforating, welding etc.

PU双面齿无缝环型同步带



PU Double Timing Belts Series

产品概述 product introduction

永利工业皮带双面齿PU无缝环型同步带系列，是由高强度连续不断螺旋状的钢丝芯或Kevlar芯，和性能优良的聚氨酯材料组成。更适合用于高负载的动力传送，一般动力传送在1 0000r.p.m以上的机械设备，大都选用该类同步齿带。

其优点为：抗拉强度大、传动精度高、稳定性好、耐油、低噪音、广泛应用于陶瓷、玻璃、石材、纺织、烟草等各种行业。有驳口带无可比拟的优点。

ULIFLEX PU Double Timing Belts series are endless belts with continuous tensile cords. The timing belts are applied for industrial power transmission above 10000 r.p.m. The innovative construction utilizes excellent raw materials combined with well designed body for increased capacity and performance.





应用范围 Applications

大型传动装置、纺织机械、印刷机床、陶瓷磨边机、玻璃直线双边磨边机、汽车制造等。

Large scale transmission, textile machines, printing machine tools, edging machines of ceramics and glass, automotive manufacture.

梳棉机专用同步带
Carding Machine Timing Belts



大圆机专用TT5系列同步带

Special TT5 Timing Belt Series for Circular Knitting Machine



10-TT5

	环型 Endless	接驳 Joined	内芯材料 Cord material
颜色 Color	蓝、荧光绿、白 Blue, green, white	蓝、荧光绿、白 Blue, green, white	凯夫拉芯 Kevlar cord
最短长度 Min length	2800mm	2800mm	或钢丝芯 Steel cord
最长长度 Max length	19800mm	—	

编码举例 Code example

ULIFLEX 10TT5-8800 KJ YL100503



ULIFLEX 10TT5-8800 KE YL100503

ULIFLEX 10TT5-8800 SJ YL100503

ULIFLEX 10TT5-8800 SE YL100503

PVC输送带、尼龙片基带



PVC Conveyor Belts, Nylon Belts



自动定位导向同步带

Automatic location timing belt

产品概述 product introduction



标准宽度(MM) Standard Width

	TG5*	TG10	TG20*	ATG10	HG*
P	5	10	2.0	10.0	12.7
H ₁	1.0	2.0	3.0	2.0	2.01
H ₂	1.2	2.5	5.0	2.5	2.29
H	2.2	4.5	8.0	4.5	4.3
HG	5.0	8.3	9.5	8.3	8.3


该类同步带底面中间铸造有V型导向条，同步带和托槽精准定位配合，使得同步带在运行过程中更平稳，彻底解决同步带和托槽不均宽，配合不精密的难题，而且适合更小玻璃的双边磨边机(最小加工玻璃尺寸：65MM)。

There is V-shape guiding bar in the middle of belt. Because of the precise fitting between the timing belts and belt grooves, the timing belt could run more smoothly. The problems timing belts and belt grooves don't have the same width and no fitting have been solved.

Application: glass double edger (the glass min width: 65mm).




开口同步带系列 Open timing belts



P1、P2、P3、P4

标准宽度(MM) Standard Width

	P1	P2	P3	P4
H	1	2	3	4



各类同步带齿面加绿色尼龙纤维布(NFT)，背面加各种绿色尼龙纤维布(NFB)。低摩擦，低噪音。
Timing Belts Green nylon tooth facing and backing provide low friction and noise reduction.

应用范围 Applications

烟草机械、印染机械、纺织机械、食品机械等。
Machines of tobacco, dyeing, textile, food.

